



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (7505P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

83190-5

Date of Issuance:

2/9/21

NOTICE OF PESTICIDE:

Registration
 Reregistration
 (under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Liquid Harvest Trio

Name and Address of Registrant (include ZIP Code):

Rebecca M. Horton
 Agent for BLUEWATER CHEMGROUP, Inc.
 c/o Registrations by Design, Inc.
 P.O. Box 1019
 Salem, VA 24153-1019

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Continued on page 2

Signature of Approving Official:

Mindy Ondish, Product Manager 23
 Herbicide Branch, Registration Division (7505P)

Date:

2/9/21

2. You are required to comply with the data requirements described in the Generic Data Call-In (GDCI) identified below:
 - Triclopyr GDCI-116001-1546

You must comply with all of the data requirements within the established deadlines. If you have questions about the GDCI listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: <http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

3. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSF:

- Basic CSF dated 01/22/2021

If you have any questions, please contact Jamie Harrington by email at harrington.jamie@epa.gov.

Enclosure

Liquid Harvest Trio

For the control of woody plants, vines, and broad leaf weeds around homes, cabins, fences, and walkways.

This product is intended for outdoor residential use.

ACTIVE INGREDIENT:	By Wt.
triclopyr (3,5,6-trichloro-2-pyridinyloxyacetic acid) as the triethylamine salt	8.8%
OTHER INGREDIENTS:	91.2%
TOTAL:	100.0%

Contains 6.36% Triclopyr acid - 0.6 lb/gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)


See back [side] [booklet] for additional Precautionary Statements, First Aid and complete Directions for Use.

EPA Reg. No. 83190- 5

EPA Est. No. 72838-IN-003

NET CONTENTS:

BLUEWATER CHEMGROUP, INC.
PO Box 11384
Fort Wayne, IN 46857



FIRST AID	
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
Have the product Container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-992-5994 for emergency medical treatment information	
Refer to back/side panel for First Aid, Precautionary Statements and Directions for Use, including Storage and Disposal.	
If case of emergency endangering health or the environment involving this product, call CHEMTREC toll free at 1-800-424-9300.	

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contact with eyes, skin, and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Wear protective clothing such as a long-sleeved shirt, long pants, waterproof gloves, and shoes and socks when applying this product.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having high potential for reaching surface water via runoff for several weeks after application.

GROUNDWATER ADVISORY: This chemical has properties and characteristics associated with chemicals detected in groundwater. This chemical may leach into groundwater if used in areas where soils are permeable, particularly where the water table is shallow.

NONTARGET ORGANISM ADVISORY: This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

PRODUCT INFORMATION

Liquid Harvest Trio controls unwanted woody plants, vines, and perennial broadleaf weeds around homes, cabins, fences, and walkways.

USE RESTRICTIONS

- Do not use on or around edible food or food crops.
- Avoid contact with eyes, skin, and clothing during and after application.
- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- Do not enter or allow others to enter the treated area until sprays have dried.
- Do not spray when the wind is blowing toward desirable plants.
- Do not apply this product directly to, or allow to drift to, grapes, vegetable crops, flowers, ornamentals, or other desirable foliage. Applications must be made when wind is low and there is little chance of spray drift.
- Do not apply with nozzles that produce a fine-droplet spray.
- Measuring utensils and spray equipment must not be reused for purposes other than herbicide application.

Woody Plants and Vines Controlled Include:

Alder
Arkansas rose
arrowwood
ash
aspen
beech
birch
Blackberry
Blackgum
box elder
Brazilian pepper
California rose
cascara
Ceanothus
cherry
chinquapin
choke cherry
cottonwood
crataegus (hawthorn)

Dogwood
Douglas fir
Elderberry
elm
hazel
honeysuckle
hornbeam
kudzu
Locust
Madrone
maples
Mesquite
Mimosa
mulberry
Oaks
persimmon
pine
poison ivy
poison oak

poplar
raspberry
salmonberry
sassafras
scotch broom
sumac
sweetbay magnolia
sweetgum
sycamore
tanoak
thimbleberry
trumpet creeper
tulip poplar
Virginia creeper
western hemlock
wild grape
wild rose
willow
winged elm

Perennial Broadleaf Weeds Controlled Include:

Bindweed	field bindweed	smartweed
burdock	field horsetail rush	spurge
Canada thistle	Henbit	tansy ragwort
chicory	lambquarter	vetch
clover	oxalis	wild lettuce
curly dock	plantain	wild violet
dandelion	ragweed	

Application Methods

For best results, apply as a full coverage foliar spray when brush and weeds are fully leafed out and actively growing. Wilting or other symptoms will occur in 1 to 6 weeks. Apply only when the air is calm to prevent drift to desirable vegetation. Rainfall within 24 hours may reduce effectiveness.

Foliage Spray

Using a hose-end or tank sprayer, mix 8 to 16 tablespoons (4 to 8 fl oz) in enough water to make one gallon mixed spray. For mature or hard-to-control plants (such as ash, blackgum, choke cherry, elm, maple, oak, pine, or winged elm), or during drought conditions, use the highest application rate indicated. Resprouting may occur in the year following treatment when lower rates are used. The addition of a surfactant (spreader/sticker) enhances herbicidal action and improves distribution of the spray on hard-to-wet plant surfaces. Apply at the rate of one gallon mixed spray to approximately 500 sq ft of area. Coverage may vary depending on the amount of foliage to be treated. Using coarse spray pattern and low pressure, apply as thorough foliage spray to wet all leaves. See Use Restrictions.

Stump Treatment

To kill stumps and prevent sprouting, apply the undiluted product with a paint brush or backpack sprayer to completely cover the freshly cut surface. Do not reuse paint brush. Wrap in several layers of newspaper and discard in trash.

Vine Control

When treating vines such as poison oak, poison ivy, etc. that grow on or around desirable plants, do not allow spray to contact desirable vegetation. Cut the vine first and treat as directed for stump treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store product in original container and keep out of reach of children. Store in a cool and dry place.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If Empty: Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

TERMS AND CONDITIONS OF USE

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitations of Remedies.

WARRANTY DISCLAIMER

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

INHERENT RISKS OF USE

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer.

Limitation of Remedies

To the extent consistent with applicable law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used.

To the extent consistent with applicable law, seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. In no case shall Seller be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer, Terms and Conditions of Use, and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of the Seller or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.